

निवदा संख्या/

available place

राष्ट्रीयसमुद्रप्रौदयोगिकासंस्थान NATIONAL INSTITUTE OF OCEAN TECHNOLOGY

संविदा आमंत्रण सूचना(नि.आ.सू.) NOTICE INVITING TENDER (NIT)

NIOT / C & D / MCC / 20100 / 2022 22



फ़ाम संख्या: Form No.

NIOT/S&P/NIT

Tender No.	N101/5&P/M55/20199/2022-23			
कोजारा Issued To	Electronic Components and Accessories			
निविदाप्रणालौ/Tender Mode	Open Tender			
र्निवदाजाराहोनेकार्तिथ Tender Issue date	23/12/2022			
निविदा बंद होने का तिथि व समय Tender Closing Date and Time	On 23/02/2023 at 3.00 PM			
निविदा खुलने का तिथि व समय Tender Opening Date and Time	On 23/02/2023 at 3.30 PM			
बोलों का प्रकार एवं निविदा प्रस्तुतिकरण Bidding Type & Tender submission	Single Part Tender comprising of Technical Bid and Price Bid should be submitted electronically through e-Tender Portal www.eprocure.gov.in/eprocure/app			
विविदा प्रलेख उपलब्धता स्थान Tender Documents	Tender documents can be freely downloaded from www.eprocure.gov.in/eprocure/app and our website			

e-Tender Schedule

ई-निविदा के लिये सहायता मैन्अल/Help manual for etender

Bidders may download the help documents and Bidders from manual kit

www.niot.res.in till closing date and time of the Tender. The tender document fee is waived for

www.eprocure.gov.in/eprocure/app

downloading the Tender.

For any technical gueries related to operation of the Central Procurement Portal please mail to supporteproc@nic.in

Helpdesk numbers are: Mobile Numbers- 91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002, 0120-4001005.

For any issues / clarifications relating to the tender(s) published kindly contact the respective Tender Inviting Authority.

अपने प्रश्न ई मेल आईडी पर भेज Send your queries to the email IDs

निविदा के अंतिम चरण तक/Upto Tender finalisations

support-eproc@nic.in / cppp-nic@nic.in tendergroup@niot.res.in / gopalakrishnaa.niot@gov.in

राष्ट्रीय समृद्र प्रौदर्योगिको संस्थान NATIONAL INSTITUTE OF OCEAN TECHNOLOGY वेलचेरा ताम्बरम मेन रोड VELACHERY TAMBARAM MAIN ROAD नारायण पुरम, चेन्ने 600 100 NARAYANPURAM, CHENNAI 600 100

रा.स.प्रौ.सं. वेबसाइट/NIOT Website : https://www.niot.res.in/index.php/vendor/login

Bid Preparation and Tender Submission Procedure

Bidders may download the help documents and Bidders manual kit and FAQ from www.eprocure.gov.in/app . Toll free Helpdesk phone number 180030702232

- a) For any technical queries related to operation of the Central Procurement Portal please mail to cppp-nic@nic.in OR please call 24 x 7 Toll Free No. 1800 3070 2232 and Mobile Numbers 91 7878007972, 91 7878007973, 91 7574889871, 91 7574889874.
- b) In addition to the above numbers, the new helpdesk numbers are: Mobile Numbers- 91 8826246593 Tel: The 24 x 7 Help Desk Number 0120-4200462, 0120-4001002, 0120-4001005. Please mail to support-eproc@nic.in
- c) For any policy related matter / clarifications please contact cppp-doe@nic.in managed by Dept of Expenditure, Min of Finance.
- d) For any issues / clarifications relating to the tender(s) published kindly contact the respective Tender Inviting Authority (NIOT).
- e) The prospective Bidders should register themselves in the CPPP Portal and submit the Bids electronically through the CPPP portal. The paper based physical Tender submission is not permitted.

INDEX

- 1. Submission of bids
- 2. NIT shall form part of the Order
- 3. Terms and conditions of NIT

INSTRUCTION TO BIDDERS

- 4. Security
- 5. Contacting NIOT
- 6. Vendor Registration
- 7. Tender Opening
- 8. Pre-Qualification

Commercial

- 9. Default in Performance
- 10. Goods Supply
- 11. Order Acceptance
- 12. Change of Name after award
- 13. One Bid per Bidder

BIDDING CONDITION

- 14. Due date Extn, Corrigendum to NIT
- 15. Unscheduled holiday in Chennai
- 16. Unsolicited correspondences
- 17. Submission of tender
- 18. Bid Validity
- 19. Bid validity extension
- 20. Conditional offers / quotations
- 21. Signing of bids
- 22. Site Visit
- 23. Arithmetical errors
- 24. The broad configuration
- 25. Acceptance of bids
- 26. The compliance sheet
- 27. Bid or modification to bids
- 28. Canvassing
- 29. Award
- 30. Commercial compliance
- 31. Unrealistic bids

TERMS AND CONDITIONS of THE **CONTRACT**

- 32.Quote Vale
- 33. Guaranteed time of delivery
- 34. Extension of delivery period
- 35. Delay in Completion / LD
- 36. Partial Delivery
- 37. Insurance
- 38. Service contract Insurance
- 39. Transportation
- 40. Risk Purchase
- 41. Incidental Services
- 42. Spare Parts
- 43. Warranty
- 44. Force Majeure
- 45. Discounts
- 46. Price
- 47. Taxes and duties
- I Payable only for the Indian bidder:
 - a) GST

II Deductibles:

- a) Deduction of IT for Indian bidders
- b) GST-TDS
- 48. Arbitration
- 49. SUBMISSION OF TECHNICAL

DOCUMENT

Documents Establishing Bidder's Eligibility and qualifications

50. Eligibility

51. Authorisation

INTRODUCTION

National Institute of Ocean Technology (NIOT) is an autonomous body under the Ministry of Earth Sciences, and is involved in developing technology for utilizing ocean resources in an eco-friendly manner.

Notice Inviting Tender Document

e-bid is invited for the supply of Electronic Components and Accessories to NIOT Chennai as per the specification enclosed.

1.Submission of bids

Bidders are advised to submit their quotation in single part containing Technical, Commercial and price bid together should be submitted electronically through e-Wizard portal www.eprocure.gov.in/eprocure/app before the deadline for submission of Bids prescribed in the front page of this NIT.

- 2. This NIT shall form part of the Order / Contract document.
- <u>3. Terms and conditions indicated in the NIT</u> shall be superseded by the terms and conditions mentioned in the Special conditions of contract (SCC) indicated.

INSTRUCTION TO BIDDERS:

- <u>4. Security:</u> Any information / material / document supplied along with this tender or after placement order should not be disclosed or copied without written permission from NIOT.
- <u>5. Contacting NIOT:</u> No correspondence / discussion / visits whatsoever will be entertained on the subject unless specifically called by this office after opening the tender for clarifications. Any violation of this will render the quotation invalid and the firm is liable to be removed from our approved vendor list. However if vendor requires any clarification on the bid, the query may be mailed to the respective mail ID at the top of NIT.
- <u>6. Vendor Registration:</u> The vendor can apply for Password by submitting few of their company particulars (one time) in to NIOT vendor registration menu of our website and get the password through email to download the tender document from NIOT website for free of cost. However to become a registered vendor of NIOT, vendor should furnish the signed hardcopy of all the details submitted on line and get the Vendor Registration Certificate of NIOT after the appropriate evaluation by NIOT.
- <u>7. Tender Opening:</u> All the tenderers can participate in the tender opening with proper authorization letter from the respective Company.

8. Pre-Qualification.

Commercial

- a) Submission of GST Registration Certificates as applicable.
- b) Supplier should have previous experience in supply of similar items to recognized institutions.
- c) The goods / items quoted are manufactured in India and not imported from any country.
- <u>9. Default in Performance:</u> If any Vendor is not successfully discharging their contractual obligations against the order / contract placed on them by NIOT within the agreed time limit, (OR) if there is any deficiency in performing such obligations, NIOT reserves the right to suspend such Vendor from their participation in future tenders of NIOT for a minimum period of one year. Even after revoking the suspension period the Vendor's performance still continues to be the same without any improvement, NIOT reserves its right to BAN such Vendor permanently from participation in all the tenders of NIOT.
- 10. Goods shall not be supplied without an Official supply order
- <u>11. Order Acceptance:</u> The successful bidder should submit order acceptance within 7 days from the date of order.
- 12. Change of Name after award: Request / intimations with regard to change of name of the contract or constitution of the contractor after the tender opening or award of contract shall not be allowed as a matter of right. The bidders / contractors are required to submit all relevant documents with regard to change of name or/and change of constitution and the circumstances leading to such change beforehand. It shall be the discretion of NIOT to proceed with the contract after such changes and in case, NIOT decides to proceed with

the contract, it may require the bidder / contractor to execute further agreements with regard to execution / implementation of the contract.

13. One Bid per Bidder: A firm shall submit only one bid either individually or as a partner of a joint venture. A firm that submits either individually or, as a member of a joint venture, more than one bid will result in rejection of all the bids.

BIDDING CONDITION

- <u>14. Due date Extension, Corrigendum to NIT:</u> Any corrigendum including due date extension for NIT, Prebid minutes of meeting if any will be notified in NIOT website. Hence bidders are requested to watch our website for such due date extension and corrigendum if any.
- 15. In case of the unscheduled holiday in Chennai being declared on the prescribed closing/opening day of the tender, the next working day will be treated as the scheduled prescribed day of closing/opening of the tender.
- <u>16. Unsolicited correspondences</u>: NIOT will not entertain any unsolicited correspondence or queries on the status of offer against this tender.
- 17. Submission of tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant etc. will be issued to him by NIOT and local conditions and other factors bearing on the execution of the works. Conditional offers are liable for rejection
- 18. Bid Validity: Bids shall remain valid and open for acceptance for a minimum period of 90 days or for the period indicated in the SCC of this NIT whichever is more from the date of opening of Bids. A Bid valid for shorter period may considered as unacceptable and liable for rejection.
- 19. Bid validity extension: In exceptional circumstances, prior to expiry of the original Bid validity period, NIOT may request the Bidder for a specified extension in the period of validity. The request and the responses thereto shall be made in writing. A Bidder agreeing to the request will not be required nor permitted to modify his bid, and will be required to extend the validity of his Bid Security correspondingly.
- 20. Conditional offers/ quotations shall not be accepted.
- <u>21. Signing of bids:</u> Each page of the tender and tender document shall be signed by the bidder. Unsigned bid is liable for rejection.
- 22. Site Visit: If any site visit is made, it should be formally documented and enclosed with the offer.
- 23. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If the Contractor does not accept the correction of errors, its bid will be rejected. If there is a discrepancy between words and figures, the amount in words will prevail.
- <u>24. The broad configuration</u> / specification of the proposed purchase / work are given. Bidders are required to keep their proposal strictly as per the specification prescribed.
- <u>25. Acceptance of bids:</u> NIOT may accept or reject any/all tenders including the lowest tender without assigning any reasons whatsoever. NIOT also reserves its right to accept any tender in part or parts only with such conditions as it may prescribe. NIOT is not bound to accept the lowest tender. NIOT expects full technical compliance and expects full scope of integrated supply as per tender specification and do not accept partial tenders.
- <u>26. The compliance sheet</u> with reference to the specifications should be furnished against each parameter while submitting the quotation, which is absolutely necessary. <u>THE TENDERER SHALL SUBMIT TECHNICAL & COMMERCIAL COMPLIANCE SHEETS ALONG WITH THEIR OFFER. TENDERS WITHOUT COMPLIANCE SHEETS WILL NOT BE EVALUATED. The Price bid should be unconditional. Care should be taken while furnishing the information in the compliance sheet based on which the evaluation will be done.</u>
- <u>27. Bid or modification to bids received after closing date and time:</u> shall not be considered. Such modified bid together with original bid will be summarily rejected. Modification to the bid after opening the bid will not be considered unless specifically requested for by NIOT.
- <u>28. Canvassing:</u> Exerting pressure and/or offering inducement in any form by the bidder or by any other person on behalf of the bidder shall disqualify the bid and lead to its rejection.

- <u>29. Award:</u>NIOT shall place the Purchase order/ work order either consolidated or separately for each of the title.
- <u>30. Commercial compliance</u> as per the NIT shall be furnished along with the offer.
- <u>31. Unrealistic bids</u> with either cost which is impossible to achieve or for bidders who show that they are completely inexperienced or have completely inappropriate equipment will be rejected.

TERMS AND CONDITIONS GOVERNING THE CONTRACT

32. Quote value:

Quotations should be for free delivery to this Institute. Consignment freight and insurance charges by passenger train / Road transport must be indicated. If EX-Godown, packing forwarding freight and insurance charges must be indicated separately. The term 'Extra' shall be avoided.

- <u>33. Guaranteed time of delivery specific performance of contract:</u> The time of delivery including testing and handing over in satisfactory condition is the essence of the contract and the shipment should be effected as per the schedule given in SCC. In the event of part supply, NIOT shall withhold the entire payment until the whole of the supply as per the order is delivered. In case if the delivery schedule indicated in the SCC is not stipulated as essential criteria, Contractor may indicate the period of delivery required for them.
- 34. Extension of delivery period: If the completion of systems / components is delayed for reasons of force majeure such as acts of God. Acts of Public enemy, acts of Government, fires, floods, epidemics, quarantine restrictions, illegal strikes and freight embargoes, the Contractor shall within 3 days from the date of such occurrence, give notice to NIOT in writing of his claim for extension of delivery period. NIOT on receipt of such notice may agree to extend the Contract delivery date as may be reasonable but without prejudice to other terms and conditions of the contract. Unless the extended delivery period is agreed by NIOT in writing, contractor cannot claim the extension of delivery time as a matter of right. NIOT shall have the right to either cancel/extend the order validity/ levy LD as appropriate.
- 35. Delay in Completion / Liquidated Damage (LD): If the Contractor shall fail to deliver the systems / components within the time specified in the Contract, NIOT shall recover from the Contractor as liquidated damages a sum of 0.5% (1/2 percent) of the contract price of the undelivered systems /components for each week of delay (or) part thereof. The total liquidated damages shall not exceed 5% (5 percent) of the contract price of the unit or units so delayed. Systems / components will be deemed to have been delivered only when all essential components parts are also delivered. If any essential components are not delivered in time, the entire system / components will be considered as delayed until such time the missing parts are delivered.
- <u>36. Partial Delivery:</u> In general all supplies are to be delivered as per the schedule of the contract only. In case if NIOT's request / vendor's convenience part supplies will be accepted only on issue of amendment to the order / contract on the delivery schedule. Part supply without written order will not be accepted. However payment will be effected as stipulated in order / contract.
- <u>37. Insurance:</u> The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in SCC.

38. Service contract Insurance:

Contractor shall take out and keep in force adequate insurance to cover all risks. (a) In respect of their personnel deputed to work under the Contract. (b) In respect of their own as well as hired equipment (to the extent of their insurance interest) tools, materials, and operational facilities used during the entire period of their engagement in connection with the Contract to the insurable value of equipment, manpower and other things. NIOT shall have no liability whatsoever in this regard. Such insurance policies of the Contractor shall embody the following clauses

- "The Insurers hereby waive their rights of subrogation against National Institute of Ocean Technology, or any of their employees or their subsidiaries, affiliates or assigns."
- <u>39. Transportation:</u> Where the Contractor is required under the Contract to transport the Goods to a specified place of destination within India defined as Project site, transport to such place of destination in India including insurance, as shall be specified in the Contract, shall be arranged by the Contractor, and the related cost shall be included in the Contract Price.
- 40. Risk Purchase: If the contractor fails to deliver the stores or any installment thereof within the period fixed for such delivery or at any time repudiates the contract before expiry of such period, NIOT is entitled to

cancel the contract and source purchases from third parties the stores not delivered at the risk and cost of the defaulting contractor.

41. Incidental Services

The Contractor may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) Performance or supervision of the on-site assembly and / installation and commissioning of the supplied Goods;
- (b) Furnishing of tools required for assembly and/or maintenance of the supplied Goods;
 Furnishing of detailed operations and maintenance manual for each appropriate unit of supplied Goods:
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Contractor of any warranty obligations under this Contract; and
- (e) Training of NIOT's personnel, at the Contractor's plant and/or on-site, in assembly, start-up, operation, maintenance and/or repair of the supplied Goods.

42. Spare Parts

As specified in the SCC, the Contractor may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Contractor for at least 5 years from the date of acceptance:

- (a) such spare parts as NIOT may elect to purchase from the Contractor, providing that this election shall not relieve the Contractor of any warranty obligations under the Contract; and
- (b) In the event of termination of production of the main product and spare parts:
 - (i) advance notification to NIOT of the pending termination, in sufficient time to permit NIOT to procure needed spare part requirements; and
 - (ii) following such termination, furnishing at no cost to NIOT, the blueprints, drawings and specifications of the spare parts, if requested.

<u>43. Warranty:</u> The Contractor warrants that the Goods supplied under this Contract are new, unused, of the most recent or current models and those they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The Contractor further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials or workmanship (except when the design and/or material is required by NIOT's Specifications) or from any act or omission of the Contractor, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.

This warranty shall remain valid for 12 months after the installation of the Goods or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract, or for 18 months after the date of shipment from the place of loading whichever period concludes earlier, unless specified otherwise in the SCC. The warranty certificate should be furnished in the prescribed format in your letterhead. If the Vendors standard warranty is more than 12 months the same shall be extended to NIOT. NIOT shall promptly notify the Contractor in writing of any claims arising under this warranty.

Upon receipt of such notice, the Contractor shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to NIOT other than, where applicable, the cost of inland delivery of the repaired or replaced Goods or parts from ex-works or ex-factory or exshowroom to the final destination.

If the Contractor, having been notified, fails to remedy the defect(s) within the period specified in SCC within a reasonable period, NIOT may proceed to take such remedial action as may be necessary, at the Contractor's risk and expense and without prejudice to any other rights which NIOT may have against the Contractor under the Contract. Also such failure shall lead to suspension of vendor from participation as deem fit by NIOT.

44. Force Majeure:

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Contractor and not involving the Contractor's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of NIOT either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics,

quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Contractor shall promptly notify NIOT in writing of such conditions and the cause thereof. Unless otherwise directed by NIOT in writing, the Contractor shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

<u>45. Discounts:</u> Bidders are advised not to indicate separate discounts. Discounts, if any, should be merged in the rates against the quoted items.

46. Price:

The price shall include but not limited to

- a) Costs of goods covered in this contract.
- b) Taxes
- c) HSN code of the product.
- d) Transportation and packing cost (Sea / Air worthy packing of internationally acceptable practices withstand transit and Transshipments by sea / air / road / rail)
- e) Cost of handling, documentation, freight, insurance from contractor's ware house up to NIOT warehouse, installation and commissioning of the equipment when part of contractual obligation.
- f) Charges for all testing
- g) Cost towards third party inspection at various stages as set forth in the contract.
- h) Cost of Installation, testing, commissioning and handing over of goods as set-forth in the contract.
- h) Cost of Training of NIOT officials as set forth in the contract.
- i) Cost of Books, manuals, software as set-forth in the contract.

The Bidder shall indicate on the appropriate price schedule form, the unit prices and total bid prices of the goods he proposes to supply under the contract strictly as per price bid format of tender.

47. Taxes and duties:

I Payable only for the Indian bidder:

a) GST Registration: You may submit a copy of GST Registration certificate along with your quotation.

11 Deductibles:

- a) <u>Deduction of Indian Income Tax Deduction at Source for the Indian bidders:</u> TDS will be deducted as applicable. Valid Permanent Account Number (PAN) is mandatory.
- b) <u>GST-TDS:</u> NIOT has enrolled under GST in the category "Tax Deductor". The bidders are requested to update their database regarding NIOT's Registration under GST-Tax Deductor.

TDS @ 2% on the order value towards GST will be deducted on payments made to the supplier in respect of goods and/or services, supplied/provided.

Name of the Organization	NATIONAL INSTITUTE OF OCEAN TECHNOLOGY
Address	NIOT Campus, Velachery Tambaram Main Road,
	Pallikaranai, Chennai-600100, TamilNadu.
Email	postmaster@niot.res.in
Telephone No.	044-66783300
Tax Deductor GSTIN	33AAATN0530G176

<u>48. Arbitration / Disputes</u> – In the event of any dispute, difference, interpretation or application relating to this agreement arises, the same shall be settled amicably by the parties. In case the dispute or differences could not be settled amicably, the same shall be referred for adjudication through Arbitration by an Arbitrator to be appointed by the Director, NIOT.

The Arbitration shall be concluded in accordance with the provisions of Arbitration & Conciliation Act, 1996 or any statutory modifications or reenactment thereof and the rules made their under and for the time being in force shall apply to the arbitration proceedings. Venue of such arbitration shall be at Chennai in India. The language of arbitration proceedings shall be English. The Arbitrator shall make a reasoned award (the "award"), which shall be final and binding on the parties. The cost of the arbitration shall be shared equally by the parties to the contract. However, expenses incurred by each party in connection with the preparation, presentation etc., shall be borne by each party.

49. SUBMISSION OF TECHNICAL DOCUMENT

Specifications are basic essence of the product. It must be ensured that the offers are strictly as per our specifications. At the same time it must also be kept in mind that merely copying our specifications in their quotation shall not make firms eligible for consideration. The documentary evidence of conformity of the goods and services to the Bid document may be in the form of literature, drawings and data and shall consist of:

- a. A list giving full particulars including available sources and current prices, of spare parts, special tools etc., necessary for the proper and continuing functioning of the goods for a period of two years, following commencement of the use of the goods by NIOT; and
- b. An item-by-item commentary on NIOT's Technical specifications demonstrating substantial responsiveness of the goods and services to those specifications or a statement of deviations and exceptions to the provisions of the Technical specifications.
- c. For purposes of the commentary to be furnished pursuant to above, the Bidder shall note that standards for workmanship, material and equipment, and reference to brand names or catalogue numbers designated by NIOT in its Technical specifications are intended to be descriptive only and not restrictive. They may substitute alternative standards, brand names and/or catalogue numbers in its bid, provided that it demonstrates to NIOT's satisfaction that the substitutions ensure substantial equivalence to those designated in the technical specifications. Technically unsuitable offers, offers not confirming to tender schedule shall be rejected.

The broad configuration / specification of the proposed purchase / work are given. Bidders are required to keep their proposal strictly as per the specification prescribed

Relevant literature pertaining to the items quoted with full specifications (and drawing, if any) duly signed by the authorized official should be sent along with the quotations, wherever applicable. Samples if called for, should be submitted free of charges, and collected back at the Contractor's expenses. To explain the product offered, if there is no Technical Literature / catalogue, offer is liable for rejection. Offer must contain all relevant technical details, test procedure etc. Any erasures / over writing shall be counter signed by the person who is signing the bid. Any interlineations, erasures or overwriting shall be valid only if the person or persons signing the bid sign them.

<u>Documents Establishing Bidder's Eligibility and qualifications</u>

- <u>50. Eligibility:</u> The bidder shall furnish, as a part of his bid, documents establishing the bidders' eligibility to bid and his qualification to perform the contract if his bid is accepted. The bidder must possess TIN No., PAN No. and any other registration to claim the statutory levies.
- <u>51. Authorisation:</u> The bidder is qualified only when he is the original manufacturer or established dealer with original manufacturer's authorization letter to quote, sell and service the products offered as per the prescribed format in our web site along with agency agreement.

Commercial Terms Compliance sheet (The format should not be altered) **Particulars** SI. Yes No offer No Page Ref Whether every page of the tender document is signed for acceptance of tender and uploaded along with the offer? 2 Whether Taxes and duties are shown separately in the quote. (Registration numbers for claiming the same to be strictly indicated) 3 Whether accepted to submit the order acceptance within 7 days from the date of 4 Whether Quote is valid for 90 days from the due date of tender or time specified in the tender document whichever is later? Whether payment terms of the tender is complied with? 5 Whether the bidder satisfies the Pre- qualification criteria 6 a copy of your GST Registration certificates and PAN details are attached (Mandatory qualifying condition) The Goods / items guoted are manufactured in India and not imported from any country. Make in India Clause: If the item/goods are partially imported, C. specify your category: 1. CLASS I Category: Supplier or service provider, whose goods, services or works offered for procurement, has local content greater than or equal to 50%. 2. CLASS II Category: Supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%. Only Class I and II categories of vendors are eligible to quote. Whether self certification form is enclosed - Annexure M (For Class I & 7 Class II supplier only)? 8 Whether price is FOR /DAP, NIOT Chennai? Whether the freight cost is included, if not included whether the freight cost is indicated separately? 10 Whether the authorization letter exclusively for this tender, from the original manufacturer is enclosed? Whether warranty period accepted as per tender? 11 Whether submission of warranty certificate in the prescribed format is acceptable? Whether the delivery period is clearly indicated, and is as per tender? 12 13 Whether the cost of installation / inspection / testing explicitly mentioned in the quote? 14 Whether Past track record of quality and service is enclosed? Whether list of deliverables attached and comply as per tender? 15 Whether liquidated damage clause is acceptable in case of delayed supply? 16 Whether the tender is fully complying with tender specification/Adjustment if no, 17 list out deviations very clearly along with the appropriate reason for the deviation? 18 Whether item-wise price is quoted as per price bid and quoted price is realistic? Whether technical specification has been duly filled in and submitted with the tender document is uploaded along with the quotation. Whether HSN code of the product has been indicated? 20 Whether your firm is registered under MSME/ NSIC/DIC/UAM? If yes

enclose copy of registration

PRICE BID FORMAT

Rotary Potentiometer, 1kohm Rotary Potentiometer, 10kohm	10			
Rotary Potentiometer, 10kohm				
	10			
Rotary Potentiometer, 470ohm	5			
Rotary Potentiometer, 47kohm	5			
Rotary Potentiometer, 2.2kohm	5			
Rotary Potentiometer, 220kohm	5			
Rotary Potentiometer, 4.7kohm	5			
DC/DC Converter,24V/12V 100W	5			
DC/DC Converter,24V/15V 100W	5			
DC/DC Converter, 24V/12V 2W	5			
DC/DC Converter,24V/5V 2W	5			
DC/DC Converter,24V/5V 15W	10			
DC/DC Converter, 24V/+/-12V 1W	5			
DC/DC Converter,24V/+/-5V 1W	5			
DC-DC Converter, 24V/48V 300W	8			
oggle switch, SPST	5			
ED Panel Mount Indicator	5			
Resettable Fuse, 5A	10			
Resettable Fuse,10A	10			
	Totary Potentiometer, 47kohm Totary Potentiometer, 2.2kohm Totary Potentiometer, 220kohm Totary Potentiometer, 4.7kohm TOC/DC Converter, 24V/12V 100W TOC/DC Converter, 24V/15V 100W TOC/DC Converter, 24V/12V 2W TOC/DC Converter, 24V/5V 2W TOC/DC Converter, 24V/5V 15W TOC/DC Converter, 24V/+/-12V 1W TOC/DC Converter, 24V/+/-5V 1W TOC/DC Converter, 24V/+/-5V 1W TOC/DC Converter, 24V/48V 300W TOC/DC Converter, 24V/48V 300W	Totary Potentiometer, 47kohm Totary Potentiometer, 2.2kohm Totary Potentiometer, 220kohm Totary Potentiometer, 220kohm Totary Potentiometer, 4.7kohm Totary Potentiometer, 24V/12V 100W Totary Po	totary Potentiometer, 47kohm fotary Potentiometer, 2.2kohm fotary Potentiometer, 2.20kohm fotary Potentiometer, 220kohm fotary Potentiometer, 4.7kohm fotary Potentiometer, 24V/12V 100W fotary P	otary Potentiometer, 47kohm 5 otary Potentiometer, 2.2kohm 5 otary Potentiometer, 220kohm 5 otary Potentiometer, 4.7kohm 5 otary Potentiometer, 4.7kohm 5 oC/DC Converter, 24V/12V 100W 5 oC/DC Converter, 24V/15V 100W 5 oC/DC Converter, 24V/12V 2W 5 oC/DC Converter, 24V/5V 2W 5 oC/DC Converter, 24V/5V 15W 10 oC/DC Converter, 24V/+/-12V 1W 5 oC/DC Converter, 24V/+/-5V 1W 5 oC/DC Converter, 24V/48V 300W 8 oggle switch, SPST 5 ED Panel Mount Indicator 5 esettable Fuse, 5A 10

20.	IC Adapter, 16-SOIC to 16-DIP	3		
21.	Test & Burn-in Socket, 16 Pin DIP to 16 Pin SOIC	1		
22.	Capacitor Kit, Radial leaded Capacitors, 100pF to 1µF	1		
23.	MOSFET Relay, DPST-NO,40 mA			
24.	MOSFET Relay, DPST-NO,500 mA	10		
25.	Resistor Kit, 10ohm to 1Mohm 0805	1		
26.	Resistor Kit, 10ohm to 1Mohm Axial Leaded Resistors	1		
27.	Capacitor Kit, 0805, 1pF to 47µF,	1		
28.	MIL Grade, Circular Industrial Connector, Straight Plug, 3 Contacts	10		
29.	MIL Grade, Circular Industrial Connector, Box Mount Receptacle, 3 Contacts	10		
30.	MIL Grade, Circular Industrial 10 Connector, Straight Plug, 2 Contacts			
31.	MIL Grade, Circular Industrial Connector, Box Mount Receptacle,2 Contacts	10		
32.	MIL Grade, Circular Industrial Connector, Straight Plug, 10 Contacts	10		
33.	MIL Grade, Circular Industrial Connector, Box Mount Receptacle,10	10		
34.	Contacts MIL Grade, Circular Industrial Connector, Straight Plug,6 Contacts	10		
35.	MIL Grade, Circular Industrial Connector, Box Mount Receptacle, 6 Contacts	10		
36.	2U, 19-inch Rack Mount case	3		
37.	Packing charges, if any	Lumpsum		
38.	Freight & Insurance charges, if any	Lumpsum		
39.	GST as applicable	%		
40.	Any other charges, (Details to be indicat	Lumpsum		
	Total Amoun	t		

Note:

The goods items quoted are manufactured in India and not imported from any country.

For Service

GST @ 18% is applicable.

NIOT has enrolled under GST in the category "Tax Deductor". The bidders are requested to update their database regarding NIOT's Registration under GST-Tax Deductor. (See clause No.51 II (c))

TDS @ 2% on the order value towards GST will be deducted on payments made to the supplier in respect of goods and/or services, supplied/provided if the value exceeds Rs. 2.5 lakhs.

- 1. The copy of the GST registration certificate to be attached.
- 2. The duly filled technical and commercial compliance sheets should be submitted along with quotation/offer.

We agree to all applicable terms and conditions listed in the tender document.

Signature with Seal

Specification for Electronic Components and Accessories

Sl No.	Item Name	Item Specification	Yes /No
1	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 1 kohm,	
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and	
	1kohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-	
		1 Test, RoHS Compliant, IP67	
2	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 10kohm,	
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and	
	10kohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-	
		1 Test, RoHS Compliant, IP67	
3	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 470 ohm,	
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and	
	470ohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-	
		1 Test, RoHS Compliant, IP67	
4	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 47kohm,	
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and	
	47kohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-	
		1 Test, RoHS Compliant, IP67	
5	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 2.2kohm,	
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and	
	2.2kohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-	
		1 Test, RoHS Compliant, IP67	

NIOT/NIT/2021-22

6	Rotary Potentiometer,	Rotary Potentiometer, Plastic Black, Knurled knob, 220kohm, 1 Turn, Linear, 1 Watt, Accuracy ± 10%,
	220kohm	Professional and Industrial applications (Cermet), CECC
		41000 or IEC 60393-1 Test, RoHS Compliant, IP67
7	Rotary	Rotary Potentiometer, Plastic Black, Knurled knob, 4.7kohm,
	Potentiometer,	1 Turn, Linear, 1 Watt, Accuracy ± 10%, Professional and
	4.7kohm	Industrial applications (Cermet), CECC 41000 or IEC 60393-
		1 Test, RoHS Compliant, IP67
8	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output
	Converter,24V/1	12V, 8.3A, 100 Watts, Efficiency more than 85%, Load
	2V 100W	Regulation less than +/- 0.2%, Overvoltage Protection, Short
		Circuit Protection, Remote On/Off, Industry Standard
		Package
		Operating Temperature: -40 °C to +100 °C
		Emissions: EN55032, level A conducted with external
		components, ESD Immunity: EN61000-4-2, Safety
-	2020	Approvals: UL60950-1
9	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output
	Converter,24V/1	15V, 6.7A, 100 Watts, Efficiency more than 85%, Load
	5V 100W	Regulation less than +/- 0.2%, Overvoltage Protection, Short Circuit Protection, Remote On/Off, Industry Standard
		Package
		Operating Temperature: -40 °C to +100 °C
		Emissions: EN55032, level A conducted with external
		components, ESD Immunity: EN61000-4-2, Safety
		Approvals: UL60950-1
10	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output
	Converter,	+/- 12V, 84 mA, 2 Watts
	24V/12V 2W	Efficiency more than 85%, Load Regulation less than +/-
		0.2%, Overvoltage Protection, Short Circuit Protection,
		Remote On/Off, Industry Standard Package
		Operating Temperature: -40 °C to +100 °C
		Emissions: EN55032, level A conducted with external
		components, ESD Immunity: EN61000-4-2, Safety
		Approvals: UL60950-1
11	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output
	Converter,24V/5	5 V, 400 mA, 2 Watts
	V 2W	Efficiency more than 85%, Load Regulation less than +/-
		0.2%, Overvoltage Protection, Short Circuit Protection,
		Remote On/Off, Industry Standard Package
		Operating Temperature: -40 °C to +100 °C Emissions: EN55032, level A conducted with external
		components, ESD Immunity: EN61000-4-2, Safety
		Approvals: UL60950-1
12	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output
12	Converter,24V/5	5 V, 3 A, 15Watts
	V 15W	Efficiency more than 85%, Load Regulation less than +/-
	,	0.2%, Overvoltage Protection, Short Circuit Protection,
		Remote On/Off, Industry Standard Package
		Operating Temperature: -40 °C to +100 °C
		Emissions: EN55032, level A conducted with external
		components, ESD Immunity: EN61000-4-2, Safety
OT //	NIT/2021-22	

12	DC/DC	Isolated Through Hola DC/DC Conventor Innut 24V Outnut	
13	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V, Output	
	Converter, 24V/+/-12V 1W	+/-12 V, 42 mA, 1 W	
	24 V/+/-12 V 1 W	Efficiency more than 85%, Load Regulation less than +/-	
		0.2%, Overvoltage Protection, Short Circuit Protection,	
		Remote On/Off, Industry Standard Package	
		Operating Temperature: -40 °C to +100 °C	
		Emissions: EN55032, level A conducted with external	
		components, ESD Immunity: EN61000-4-2, Safety	
1 /	DC/DC	Approvals: UL60950-1	
14	DC/DC	Isolated Through Hole DC/DC Converter, Input 24V,	
	Converter,24V/+	Output+/-5 V, 100 mA, 1 Watt	
	/-5V 1W	Efficiency more than 85%, Load Regulation less than +/-	
		0.2%, Overvoltage Protection, Short Circuit Protection,	
		Remote On/Off, Industry Standard Package	
		Operating Temperature: -40 °C to +100 °C	
		Emissions: EN55032, level A conducted with external	
		components, ESD Immunity: EN61000-4-2, Safety	
1.~	DC DC	Approvals: UL60950-1	
15	DC-DC	Isolated DC-DC Converter PCB Mount, Input 24V, Output	
	Converter,	48V, 7.2A, 300Watts	
	24V/48V 300W	Efficiency more than 85%, Load Regulation less than +/-	
		0.2%, Overvoltage Protection, Short Circuit Protection,	
		Remote On/Off, Industry Standard Package	
		Operating Temperature: -40 °C to +100 °C	
		Emissions: EN55032, level A conducted with external	
		components, ESD Immunity: EN61000-4-2, Safety	
1.0	TD 1 1 1	Approvals: UL60950-1	
16	Toggle switch,	MIL-DTL-3950 qualified Toggle Switch, Off-On, SPST,	
	SPST	Non-Illuminated, Panel Mount, Screw terminal, 15 A,	
		Environmental sealing, UL recognized, CSA certified, and	
17	LED D 1	CE approved	
17	LED Panel	LED Panel Mount Indicator, Aluminium, Black Anodised	
1.0	Mount Indicator	Shroud, Red, 5 mm, 20 mA, 1200 mcd, IP67, 24V,	
18	Resettable Fuse,	Resettable Fuse, PPTC, POLYFUSE, 30 VDC, 5 A, 10 A,	
1.0	5A	Rectangular	
19	Resettable	Resettable Fuse, PPTC, PolySwitch, 32 VDC, 10 A, 20 A,	
3.0	Fuse,10A	Rectangular	
20	IC Adapter, 16-	IC Adapter, 16-SOIC to 16-DIP, 2.54mm Pitch Spacing,	
	SOIC to 16-DIP	15.24mm Row Pitch	
21	Test & Burn-in	Test & Burn-in Socket, 16 Pin DIP to 16 Pin SOIC	
	Socket, 16 Pin		
	DIP to 16 Pin		
	SOIC		
22	Capacitor Kit,	Capacitor Kit, Radial leaded multilayer ceramic capacitor for	
	Radial leaded	automotive applications, 100pF to 1µF, not less than 24	
	Capacitors,	values, each 10 nos, RoHS Compliant	
	100pF to 1µF		

23	MOSFET Relay, DPST-NO,40 mA	MOSFET Relay, DPST-NO, AC / DC, 600 V, 40 mA, DIP-8, Through Hole
24	MOSFET Relay, DPST-NO,500	MOSFET Relay, DPST-NO (2 Form A), AC / DC, 60 V, 500 mA, DIP-8, Through Hole
25	mA Resistor Kit, 10ohm to 1Mohm 0805	Surface mount Resistor Kit, 100-Pieces each, 121 Values, 10ohm to 1Mohm, 0805 Resistors, RoHS Compliant
26	Resistor Kit, 10ohm to 1Mohm Axial Leaded Resistors	Resistor Kit, 100-Pieces each, 121 Values, 10ohm to 1Mohm Axial Leaded Resistors, RoHS Compliant
27	Capacitor Kit, 0805, 1pF to 47µF,	Surface mount Capacitor Kit, 0805 Multi-layer Ceramic Capacitors, 1pF to 47µF, not less than 72 values, not less than 2000 nos., RoHS Compliant
28	MIL Grade, Circular Industrial Connector, Straight Plug, 3 Contacts	MIL-DTL-5015 Grade, Circular Industrial Connector, Straight Plug, Aluminium Alloy body, Threaded, 3 Contacts, Lightweight Environmental Resisting, Dust cap
29	MIL Grade, Circular Industrial Connector, Box Mount Receptacle, 3 Contacts	MIL-DTL-5015 Grade, Circular Industrial Connector, Box Mount Receptacle, Aluminium Alloy body, Threaded, 3 Contacts, Lightweight Environmental Resisting, Protection cap, Dimension not exceeding 1.5X1.5 inch on the panel (Mating Connector suitable for Item 28)
30	MIL Grade, Circular Industrial Connector, Straight Plug, 2 Contacts	MIL-DTL-5015 Grade, Circular Industrial Connector, Straight Plug, Aluminium Alloy body, Threaded, 2 Contacts, Lightweight Environmental Resisting, Dust cap
31	MIL Grade, Circular Industrial Connector, Box Mount Receptacle,2 Contacts	MIL-DTL-5015 Grade, Circular Industrial Connector, Box Mount Receptacle, Aluminium Alloy body, Threaded, 2 Contacts, Lightweight Environmental Resisting, Protection cap, Protection cap, Dimension not exceeding 1.5X1.5 inch on the panel (Mating Connector suitable for Item 30)
32	MIL Grade, Circular Industrial Connector, Straight Plug, 10 Contacts	MIL-DTL-5015 Grade, Circular Industrial Connector, Straight Plug, Aluminium Alloy body, Threaded, 10 Contacts, Lightweight Environmental Resisting, Dust cap
DT/I	NIT/2021-22	6 of 18

33	MIL Grade,	MIL-DTL-5015 Grade, Circular Industrial Connector, Box	
	Circular	Mount Receptacle, Aluminium Alloy body, Threaded, 10	
	Industrial	Contacts, Lightweight Environmental Resisting Protection	
	Connector, Box	cap, Protection cap, Dimension not exceeding 1.5X1.5 inch	
	Mount	on the panel (Mating Connector suitable for Item 32)	
	Receptacle,10		
2.4	Contacts	MI DEL 2012 C. 1 C. 1 L. 1 . 1 C.	
34	,	MIL-DTL-5015 Grade, Circular Industrial Connector,	
	Circular	Straight Plug, Aluminium Alloy body, Threaded, 6 Contacts,	
	Industrial	Lightweight Environmental Resisting, Dust cap	
	Connector,		
	Straight Plug,6		
	Contacts		
35	MIL Grade,	MIL-DTL-5015 Grade, Circular Industrial Connector, Box	
	Circular	Mount Receptacle, Aluminium Alloy body, Threaded, 6	
	Industrial	Contacts, Lightweight Environmental Resisting, Protection	
	Connector, Box	cap, Protection cap, Dimension not exceeding 1.5X1.5 inch	
	Mount	on the panel (Mating Connector suitable for Item 34)	
	Receptacle, 6	on the paner (Mating Connector suitable for Item 34)	
	Contacts		
36	2U, 19-inch	2U, 19-Inch Rack Mount Case, Ventilated, Dimension 88.05	
	Rack Mount	x 482.6 x 265mm, Black, Aluminium, Weight less than 1.8kg	
		A 402.0 A 20311111, Diack, Alaminimum, Weight less than 1.0kg	
	case		

- 2.0 Validity: Quote should be valid for 90 days.
- 3.0 Payment: Payment will be made within 30 Days after supply and acceptance of the materials. No advance payment shall be made.
- 4.0 Delivery: The items should be delivered within 8 weeks from the date of receipt of the order.
- 5.0 Warranty: The item should be guaranteed for a period of 12 months from the date of supply against manufacturing defects only. The format of the warranty certificate shall be furnished to the successful bidder.
- 6.0 Order: NIOT reserves the right to issue split order/ item wise L1 /overall L1 as per the requirement.

We agree to all terms and conditions as per tender document.

Date:	Signature of supplier
Place:	
	Stamp

ANNEXURE-M

Format for Self Certification under Preference to "MAKE IN INDIA" Policy (Refer Clause No. 2.8 & 3.4.4 of ITT)

CERTIFICATE

In line with Gov	ernment Pu	ıblic Procurer	nent Order No	. P-45021/2	/2017-B	E-II dt.	
15.06.2017, as	amended fr	rom time to	time and as	applicable of	on the o	date of	
submission	of ten	der, we	hereby	certify	that	we	
M/s			(supplier name	e) are local s	upplier r	neeting	
the requirement	of minimum	1 Local Cont	ent % as	defined in a	above ord	lers for	
the	mater	rial	again	st		Tender	
No							
Details of locatio			lition will be m				
We also unders	tand, false o	declarations	will be in brea	ch of the Co	ode of Ir	ntegrity	
under Rule 175(1)(i)(h) of the	e General Fin	ancial Rule for	which for wh	hich a bi	dder or	
its successors can be debarred for up two years as per Rule 151 (iii) of the General							
Financial Rules	along with su	uch other acti	ons as may be	permissible 1	under lav	N.	
Seal and Signatu	are of Author	rized Signator	v				